



Response of *Staphylococcus aureus* to Simulated Microgravity

Robert Hinshaw
Washington University in St. Louis
Sarah Castro, Ph.D.
Microbiology









JSC Microbiology Laboratory

Goal: Mitigate microbial risk to crew health, safety, and performance during the human exploration of space



Duane Pierson, Ph.D.

Chief NASA Microbiologist

Mark Ott, Ph.D.

Sarah Castro, Ph.D.

Debbie Aldape

Catherine Ballard

Michelle Blackwell

Doug Botkin, Ph.D.

Bekki Bruce

Victoria Castro

Todd Elliott

Kami Faust

Sarah Foster

Jane McCourt

Satish Mehta, Ph.D.

Cherie Oubre, Ph.D.

Melanie Smith

Airan Yoets

Microgravity Microbiology


- ISS microbiome
- Compromised immune system
- Altered bacterial virulence
- Mutations or expression changes?



Color-enhanced scanning electron micrograph showing Salmonella typhimurium (red) invading cultured human cells. Credit: Rocky Mountain Laboratories, NIAID, NIH

Low Shear Modeled Microgravity

- NASA-Designed Rotating Zero-Head-Space Tissue Culture Vessel
 - Rotating Wall Vessel (RWV)
- <u>Simulated</u> Microgravity
- Used to culture 3D tissue aggregates
- Alters bacterial behavior
 - Attachment independent biofilms
 - Altered virulence




S. aureus


- Opportunistic pathogen
- Common in humans
- Spaceflight isolates/Clinical isolates
- Infection models
 - Mice skin
 - Nematodes intestine



Virulence Assay




S. aureus N₃₁₅ clinical isolate (MRSA)



Hyperpigmented S. aureus

- Spaceflight Isolate
- Increased carotenoid production
- LSMMG comparison between N315 clinical isolate and this strain
 - Biofilms
 - Growth patterns
 - Carotenoid production




Altered Carotenoid Production

Absorbance at 460 nm			
LSMMG	Control	Ratio	
0.053	0.080	.663	
0.116	0.307	.378	
0.092	0.169	-544	
0.099	0.160	.615	
		Average	.550
		Standard Dev	.125

LSMMG and Control values are statistically significant. p < .05



Oxidative Stress Assays







LSMMG induced mutation or just altered expression?

Pigmented S. epidermidis

- Spaceflight Isolate
- Possibly the Violagabriellae variant described in the '6os by Marples and Steele
- Unknown pigment molecule
 - Siderophore?



Pulcherrimin Gene Presence



Summary

- 1. The virulence of *S. aureus* N315 is not significantly altered in response to LSMMG culture, as determined by a *C. elegans* infection model.
- A hyperpigmented spaceflight isolate of S. αureus responds in a parallel manner to LSMMG culture as previously studied clinical isolates.
- 3. The identity of the pigment displayed by a S. epidermidis variant isolated from spaceflight is not known, but potential candidate pigments were ruled out.

Sources

- Castro, S. L., M. Nelman-Gonzalez, C. A. Nickerson, and C. M. Ott. "Induction of Attachment-Independent Biofilm Formation and Repression of Hfq Expression by Low-Fluid-Shear Culture of Staphylococcus Aureus." *Applied and Environmental Microbiology* 77.18 (2011): 6368-378.
- Liu, George Y., and Victor Nizet. "Color Me Bad: Microbial Pigments as Virulence Factors." *Trends in Microbiology* 17.9 (2009): 406-13.
- Mohammadi, M., L. Burbank, and M. C. Roper. "Biological Role of Pigment Production for the Bacterial Phytopathogen Pantoea Stewartii Subsp. Stewartii." Applied and Environmental Microbiology 78.19 (2012): 6859-865.
- Nickerson, C. A., C. M. Ott, J. W. Wilson, R. Ramamurthy, and D. L. Pierson. "Microbial Responses to Microgravity and Other Low-Shear Environments." *Microbiology and Molecular Biology Reviews* 68.2 (2004): 345-61.
- Sifri, C. D., J. Begun, F. M. Ausubel, and S. B. Calderwood. "Caenorhabditis Elegans as a Model Host for Staphylococcus Aureus Pathogenesis." *Infection and Immunity* 71.4 (2003): 2208-217.
- Wolf, D. A. "Analysis of Gravity-Induced Particle Motion and Fluid Perfusion Flow in the NASA-Designed Rotating Zero-Head-Space Tissue Culture Vessel." NASA Technical Paper 3143. (1991).

